## **Chapter 3**

# How to retrieve data from a single table

## **Exercises**

### Enter and run your own SELECT statements

In these exercises, you'll enter and run your own SELECT statements.

You will submit only the final solution to each of the questions. Therefore, there should be only one SELECT statement submitted per question. To submit your completed exercise solutions, create a Word document with the following information at the top of the file:

First and Last Name My Guitar Shop Exercise Solutions for Chapter 3

Save your file as firstName\_lastName\_ch3mgs.docx. For example, your instructor would save the file as laura\_goadrich\_ch3mgs.docx.

Submit your completed solution file to Blackboard under the Chapter 3 My Guitar Shop Exercises assignment section.

1. Write a SELECT statement that returns four columns from the Products table: product\_code, product\_name, list\_price, and discount\_percent. Then, run this statement to make sure it works correctly.

Add an ORDER BY clause to this statement that sorts the result set by list price in descending sequence. Then, run this statement again to make sure it works correctly. This is a good way to build and test a statement, one clause at a time.

2. Write a SELECT statement that returns one column from the Customers table named full\_name that joins the last\_name and first\_name columns.

Format this column with the last name, a comma, a space, and the first name like this:

Doe, John

Sort the result set by last name in ascending sequence.

Return only the customers whose last name begins with letters from M to Z.

NOTE: When comparing strings of characters, 'M' comes before any string of characters that begins with 'M'. For example, 'M' comes before 'Murach'.

3. Write a SELECT statement that returns these columns from the Products table:

product_name	The product_name column
list_price	The list_price column
date added	The date added column

Return only the rows with a list price that's greater than 500 and less than 2000.

Sort the result set in descending sequence by the date\_added column.

4. Write a SELECT statement that returns these column names and data from the Products table:

product_name	The product_name column
list_price	The list_price column
discount_percent	The discount_percent column
discount_amount	A column that's calculated from the previous two columns
discount_price	A column that's calculated from the previous three columns

Round the discount\_amount and discount\_price columns to 2 decimal places.

Sort the result set by discount price in descending sequence.

Use the LIMIT clause so the result set contains only the first 5 rows.

5. Write a SELECT statement that returns these column names and data from the Order\_Items table:

item_id	The item_id column
item_price	The item_price column
discount_amount	The discount_amount column
quantity	The quantity column
price_total	A column that's calculated by multiplying the item price by the quantity
discount_total	A column that's calculated by multiplying the discount amount by the quantity
item_total	A column that's calculated by subtracting the discount amount from the item price and then multiplying by the quantity

Only return rows where the item\_total is greater than 500.

Sort the result set by item total in descending sequence.

#### Work with nulls and test expressions

6. Write a SELECT statement that returns these columns from the Orders table:

order_id	The order_id column
order_date	The order_date column
ship_date	The ship_date column

Return only the rows where the ship date column contains a null value.

7. Write a SELECT statement without a FROM clause that uses the NOW function to create a row with these columns:

today_unformatted	The NOW function unformatted
today_formatted	The NOW function in this format:
	DD-Mon-YYYY

This displays a number for the day, an abbreviation for the month, and a four-digit year.

8. Write a SELECT statement without a FROM clause that creates a row with these columns:

price	100 (dollars)
tax_rate	.07 (7 percent)
tax_amount	The price multiplied by the tax
total	The price plus the tax

To calculate the fourth column, add the expressions you used for the first and third columns.